



	PPP (hPa)	T (c)	Tmax (c)	dTmax (24h)	Tmin (c)	dTmin (24h)	R24hr (mm)	R1Jan (mm)	RH (%)	Wind (deg) (knot)	
	1011.94	20.5	33.2	-1.5	19.0	0.6	0.0	1063.8	95	C	0
	1012.85	22.0	34.7	0.9	20.0	1.4	0.0	872.8	95	C	0
	1014.25	18.7	31.7	-0.2	18.3	-0.5	0.0	1764.4	95	C	0
"	1014.57	17.9	31.5	0.1	17.0	-0.2	0.0	1571.7	99	C	0
	1014.17	20.0	31.3	-0.1	18.5	0	0.0	914.2	97	C	0
	1013.25	16.0	21.2	0.3	15.2	-0.8	0.0	2011.1	79	ESE	4
	1014.27	21.9	32.2	-0.5	21.8	1.2	0.0	1090.5	89	C	0
	1014.43	20.9	32.7	-0.8	20.2	0.7	0.0	903.4	98	C	0
	1012.84	21.1	31.8	0.1	20.9	-0.4	0.0	1019.6	98	C	0
"	1014.12	20.0	32.2	-0.3	19.8	0.8	0.0	865.0	95	C	0
	1013.15	21.2	32.4	-0.4	21.0	0.6	0.0	889.0	98	C	0
	1013.27	22.2	32.5	-0.5	22.1	0.6	0.0	1022.7	95	C	0
"	1013.97	19.6	32.7	-0.5	19.2	1.7	0.0	915.7	94	C	0
	1014.00	20.2	31.8	-0.5	19.8	1.8	0.0	1314.6	97	C	0
	1014.36	18.7	33.3	-0.2	18.4	2.2	0.0	1255.4	96	C	0
	1012.24	23.5	34.5	1.0	23.3	0.8	0.0	1247.1	90	C	0
	1012.11	25.0	33.7	0.1	22.7	0.1	0.0	1361.8	93	C	0
"	1011.98	24.3	32.5	-0.1	23.5	0	0.0	1046.6	97	C	0
	1013.12	22.1	31.7	-0.3	22.0	-1.1	0.0	953.2	95	C	0
	1011.23	21.2	33.0	-0.4	9999.0	0	0.0	1517.4	94	C	0
	1012.63	22.2	32.5	0	21.8	-1.2	0.0	734.3	94	C	0
"	1013.74	17.4	26.5	1.2	16.4	-1.8	0.0	1718.5	95	C	0
	1013.95	19.7	31.4	0.4	19.0	-0.4	0.0	1668.4	93	C	0
	1012.38	24.5	33.4	0.1	22.4	0.1	0.0	1338.0	93	C	0
	1011.34	22.5	33.4	0.2	9999.0	0	0.0	1283.6	95	C	0
	1013.63	21.8	33.5	-0.1	21.5	1.5	0.0	874.2	93	C	0
	1012.22	24.0	32.7	-0.8	23.0	1.9	0.0	1048.1	91	C	0
	1012.48	22.9	32.6	0.2	22.7	-0.9	0.0	1452.8	95	C	0
"	1011.55	25.5	32.5	0	24.0	0.5	0.0	1015.9	93	NNE	2
	1013.05	24.1	33.2	0.2	21.8	0.2	0.0	738.3	88	ENE	2
	1013.06	20.7	32.2	-0.2	19.8	0.2	0.0	1391.7	96	NNE	4
"	1013.48	20.0	31.5	0	19.5	0.5	0.0	622.6	99	C	0
	1012.84	23.1	32.6	0.1	22.6	1.1	0.0	1169.3	93	C	0
	1013.02	22.9	32.0	-0.2	22.3	1.5	0.0	1958.3	89	C	0
"	1013.16	21.5	31.9	-0.2	21.1	2.1	0.0	1046.4	95	C	0
	1013.09	22.5	33.5	-0.3	21.4	0.9	0.0	1969.7	88	C	0
"	1013.13	21.6	33.1	-0.2	18.0	-1.5	0.0	1814.8	94	W	2
	1012.24	21.0	32.2	0.2	20.6	0.8	0.0	890.7	95	C	0
	1012.40	23.1	32.2	0.5	21.6	0.3	0.0	876.7	89	C	0
"	1012.01	22.1	33.0	0.8	21.5	1.4	0.0	805.9	100	C	0
	1012.53	23.3	33.2	0.4	21.9	1.4	0.0	1677.1	86	C	0
	1012.69	23.5	32.7	0.7	22.5	1.0	0.0	831.6	93	C	0



%\$ (&)) * +

	PPP (hPa)	T (c)	Tmax (c)	dTmax (24h)	Tmin (c)	dTmin (24h)	R24hr (mm)	R1Jan (mm)	RH (%)	Wind (deg) (knot)	
	1012.69	22.4	32.0	0.5	22.3	2.0	0.0	968.5	95	C	0
	1012.51	23.0	31.7	0	20.9	-0.6	0.0	760.1	90	C	0
	1012.04	23.2	32.5	0.8	23.0	1.8	0.0	1546.5	96	C	0
"	1012.14	23.5	31.5	0.8	22.5	1.8	0.0	1274.3	92	E	3
"	1012.29	22.7	33.6	1.1	21.7	0.4	0.0	1533.2	90	C	0
fl t	1012.02	23.7	33.8	0.6	23.0	1.5	0.0	1615.7	83	NNE	3
	1011.69	25.0	32.2	0.6	23.7	0.5	0.0	1445.2	83	C	0
	1012.57	23.2	31.8	0.6	22.9	-0.8	0.0	1036.3	96	C	0
"	1012.51	21.9	30.1	0.2	21.1	0	0.0	1129.8	87	C	0
	1012.42	23.2	32.5	0.8	22.7	-1.5	0.0	1200.0	95	C	0
	1012.21	24.0	31.8	0.4	24.0	0.8	0.0	1479.0	83	NE	3
"	1012.60	23.0	32.3	0.6	22.5	-0.1	0.0	1162.8	96	C	0
	1012.55	24.6	31.7	1.4	22.4	0.7	0.0	1210.8	84	C	0
	1012.42	24.6	32.5	1.3	20.5	0.2	0.0	1197.0	79	C	0
	1012.28	23.4	31.0	1.0	22.1	-1.6	0.0	1171.6	94	C	0
	1011.63	24.4	33.3	0.5	24.0	2.0	0.0	992.1	94	C	0
"	1013.05	24.0	32.1	0.1	23.1	2.1	0.0	1143.5	89	C	0
"	1011.11	26.3	32.3	0.3	26.0	1.4	0.0	1196.7	90	C	0
	1011.74	25.7	32.5	0	23.2	1.2	0.0	519.4	95	C	0
"	1011.36	27.0	32.5	0.7	26.5	2.8	0.0	1080.7	88	C	0
	1011.49	24.5	30.9	3.7	24.2	0.6	0.0	1048.7	94	C	0
	1011.54	26.8	32.6	0.5	26.5	1.5	0.0	829.8	92	C	0
"	1011.24	25.8	31.4	0.7	24.6	1.2	0.0	668.8	95	C	0
	1011.85	25.9	32.1	-0.8	25.6	1.6	0.0	966.2	81	C	0
	1012.40	23.7	32.6	1.0	22.2	0.5	0.0	1428.8	94	ENE	2
	1011.35	27.6	30.0	1.0	27.2	2.9	0.0	759.7	84	C	0
"	1011.33	27.4	30.9	0	27.2	3.5	0.0	1429.5	90	C	0
	1011.74	26.7	32.2	0.1	26.0	1.9	0.0	1095.6	84	C	0
	1012.03	24.7	30.5	3.5	23.7	1.0	1.5	508.8	97	C	0
	1012.00	24.0	32.4	1.9	23.8	1.3	0.0	1754.4	97	C	0
	1010.88	24.9	30.8	-1.2	23.0	1.4	0.0	715.1	97	C	0
	1011.75	26.5	32.8	0.1	26.4	2.2	0.0	1430.4	90	C	0
	1011.35	27.4	32.2	0.6	27.1	2.3	0.0	1198.2	77	S	2
"	1011.71	26.6	32.2	0.5	25.9	2.4	0.0	1311.2	91	C	0
	1011.84	27.0	33.4	1.0	26.8	2.3	0.0	1237.5	83	WSW	3
	1013.71	24.8	31.0	-0.3	24.5	2.2	0.0	1610.4	96	C	0
	1011.88	25.3	31.4	-0.3	25.0	-0.2	0.0	2089.8	85	C	0
	1011.86	24.6	31.7	-0.1	24.1	0.1	0.0	1829.3	99	C	0
	1011.51	26.3	31.0	0.5	22.5	0	0.0	1186.3	89	C	0
	1011.38	26.0	29.7	-0.3	25.1	2.1	0.0	1190.9	94	C	0
	1011.57	26.0	29.7	-0.3	25.0	1.6	0.0	655.5	88	C	0



%\$ (&)) * +.

	PPP (hPa)	T (c)	Tmax (c)	dTmax (24h)	Tmin (c)	dTmin (24h)	R24hr (mm)	R1Jan (mm)	RH (%)	Wind (deg) (knot)	
	1011.72	25.2	31.4	3.0	23.2	0.3	1.1	650.8	95	C	0
	1012.51	25.2	30.1	1.5	21.4	-3.8	0.0	880.1	91	C	0
	1011.31	25.2	29.5	0	24.3	0.8	0.0	1602.8	95	C	0
"	1011.59	25.0	32.0	3.3	24.5	2.4	37.2	1169.0	92	C	0
	1011.62	24.9	31.3	0.3	24.3	0.8	0.0	3513.1	95	C	0
"	1012.16	25.0	30.3	1.3	23.7	0.4	4.2	3574.2	98	C	0
	1011.46	24.0	31.7	0.9	23.3	-0.5	0.1	4854.4	96	E	3

fl	£											
		1011.90	24.8	30.4	1.1	23.8	0.1	5.4	692.7	95	C	0
		1011.74	23.0	33.0	1.5	22.8	-0.7	3.5	906.0	96	C	0
		1011.62	25.1	30.0	0.5	24.4	0.4	0.0	766.1	90	C	0
"		1012.30	23.3	30.9	1.4	22.4	-0.3	21.9	815.0	97	C	0
		1011.93	23.6	31.5	2.5	23.1	0.1	7.3	1262.1	97	C	0
"		1011.97	23.0	31.2	3.0	22.3	-0.5	3.2	1233.2	96	C	0
		1011.77	24.0	32.0	2.0	23.7	0.9	0.5	945.7	100	C	0
		1011.76	24.8	31.5	0.2	23.4	-1.1	0.1	778.8	92	C	0
"		1013.74	23.4	30.2	0.4	22.8	-0.2	0.0	1040.2	96	C	0
"		1011.89	23.0	30.5	3.5	22.2	-0.3	8.6	1216.1	97	C	0
		1011.66	23.0	33.0	2.8	21.8	-0.7	4.0	1269.9	97	C	0
"		1011.78	23.2	33.8	2.2	22.7	-1.0	4.5	1087.5	98	C	0
		1012.31	23.0	9999.0	0	23.0	0	5.4	819.3	97	C	0
"		1011.49	23.1	33.7	3.1	23.0	-0.7	0.0	967.9	97	W	3
"		1012.16	23.8	33.7	0.6	22.9	-0.4	0.0	1210.8	97	C	0
		1011.84	24.2	34.0	1.1	23.0	0.1	0.0	769.5	97	C	0
		1011.90	25.1	33.4	1.2	24.4	0.4	0.0	1026.4	92	WSW	2
		1012.06	22.9	32.9	1.2	22.5	-0.9	0.0	979.4	91	C	0
		1011.79	24.2	32.7	0.4	23.7	0	0.0	895.3	96	C	0
"		1012.78	22.6	33.8	0.8	22.4	-1.0	16.0	859.3	98	SW	3
		1011.82	24.5	33.9	-1.1	24.0	-0.2	0.0	1382.9	91	C	0

fl	£											
		1012.30	24.0	29.0	3.3	22.5	0.6	23.6	4137.3	96	C	0
		1011.30	22.9	29.8	3.8	22.7	0.1	29.8	4432.3	99	C	0
		1011.36	24.0	32.2	4.7	23.7	-0.6	19.8	1613.1	98	C	0
fl	£	1010.75	23.9	29.6	2.9	21.5	-1.8	21.2	1363.3	97	C	0
		1012.50	26.0	30.5	0	24.7	0.4	0.0	1616.1	84	E	5
		1010.96	22.3	30.5	4.4	20.6	-0.9	10.6	1983.8	100	C	0
		1011.98	23.4	33.0	0.8	22.8	-0.2	0.0	1745.9	97	C	0
		1011.46	24.3	33.0	1.6	22.8	-1.2	0.0	1768.6	92	C	0



! " # \$ % & ' () * + , - . / : ;
 ! 'HžHa Ul žHa]b' ž 'f#.\$\$' '!' +.\$\$\$' 'E'
 ! 'XHa Ul žXHa]b'
 ! 'F & \f' '& ('
 ! 'F %>Ub' '%'